

EN 179

Emergency exit device



HEWI

Obligation to apply standard:

Applies to emergency exits at which panic situations are not to be expected. The people in the building are familiar with the exits and their fittings.


Approved are:

Door lever fittings, push/pull handles (push pads) and other hardware elements, which have been designed for use in emergency situations. Panic bars to EN 1125 are naturally also approved, because a higher safety level is allowed.

Please note:

The hardware and lock must always be tested and certified together. But they can be specified and delivered separately.

Implementation of EN 179 – emergency exit device

- HEWI emergency exit hardware to EN 179 is certified with the locks of the manufacturers given in the following list.
- A jointly certified system of lock and hardware can still also be supplied separately.
- Allowable HEWI emergency exit hardware is shown on page two. All fire safety versions of this HEWI hardware are certified to EN 179 and are marked with a corresponding sticker on dispatch. 

Ordering information

The following applies to all the illustrated forms of lever handle:

HEWI fire safety roses or backplate fittings with 9 mm square spindle are approved for use with certified locks as an emergency exit device to EN 179.

Certified locks

For the named lock manufacturers – unless stated otherwise – all locks of the respective manufacturer certified to EN 179 together with the given HEWI hardware may be used as an emergency exit device to EN 179. Further information on the respective locks is available from the lock manufacturers.



ALLOWABLE HEWI HARDWARE:

SYSTEM 100 STAINLESS STEEL



Lever handle design
103X



Lever handle design
104X

SYSTEM 111 STAINLESS STEEL



Lever handle design
111X



Lever handle design
112X



Lever handle design
113X

SYSTEM 162 STAINLESS STEEL



Lever handle design
165X



Lever handle design
166X



Lever handle design
165.21P...



Lever handle design
165.21P...

SERIE 170 STAINLESS STEEL



Lever handle design
173X



Lever handle design
174X

SYSTEM 111 POLYAMIDE | MATT EDITION



Lever handle design
111...



Lever handle design
111.23...



Lever handle design
115.23



Lever handle design
114.23GK...

PUSH/PULL HANDLES



Design
162XADG...6...



Design
FSDG...08...

Lock partner EN 179

Lock manufacturer	EN 179 FS hardware in HEWI R and H technology for all forms of approved lever handle	EN 179 HEWI push/pull handle set	Certificate number of constancy of performance
Abloy Oy (Assa Abloy)	HEWI marking: VE 30-26		0432-CPD-0018
effeff (Assa Abloy) Fritz Fuss GmbH & Co. KGaA	HEWI marking: VE 30-26		0432-CPD-0001
BKS GmbH	HEWI marking: VE 30-26	HEWI marking: DO 20.13	0432-CPD-00029.03 0432-CPD-00029.04
BMH Beyer & Müller GmbH + Co.	HEWI marking: VE 30-26	HEWI marking: DO 20.13	0432-CPR-00082-01
Dorma GmbH	HEWI marking: VE 30-26		0432-CPD-0005
Karl Fuhr GmbH & Co. KG	HEWI marking: VE 30-26	HEWI marking: DO 20.13	1309-CPR-0421
KFV Karl Fliether GmbH	HEWI marking: VE 30-26	HEWI marking: DO 20.13	0432-CPD-00048-01
SAG Schulte AG	HEWI marking: VE 30-26		0432-CPD-0058
Wilka Schließtechnik GmbH	HEWI marking: VE 30-26		0432-CPR-00005-02
Grundmann Beschlagtechnik GmbH	HEWI marking: VE 30-26		0432-CPD-0021.01
WSS Wilh. Schlechtendahl & Söhne GmbH & CO.KG	HEWI marking: VE 30-26		1309-CPR-0303 0432-CPR-000037-01
ECO Schulte GmbH & Co. KG	HEWI marking: VE 30-26		0432-CPD-00099-01
GEZE	HEWI marking: VE 30-26		0757-CPR-229PANIK-7013137-5-5
Roto Frank Austria GmbH	HEWI marking: VE 30-26		0432-CPR-00272-01
Glutz AG	HEWI marking: VE 30-26		0757-CPR-229P-6014391-1-2

Marking from 02.07.2018
until 29.06.2018

HEWI VE 30-26
HEWI DO 20.13