

EN 179

Emergency exit device



HEWI

Obligation to apply standard:

Applies to emergency exits at which panic situations are not to be expected. The people in the building are familiar with the exits and their fittings.


Approved are:

Door lever fittings, push/pull handles (push pads) and other hardware elements, which have been designed for use in emergency situations. Panic bars to EN 1125 are naturally also approved, because a higher safety level is allowed.

Please note:

The hardware and lock must always be tested and certified together. But they can be specified and delivered separately.

Implementation of EN 179 – emergency exit device

- HEWI emergency exit hardware to EN 179 is certified with the locks of the manufacturers given in the following list.
- A jointly certified system of lock and hardware can still also be supplied separately.
- Allowable HEWI emergency exit hardware is shown on page two. All fire safety versions of this HEWI hardware are certified to EN 179 and are marked with a corresponding sticker on dispatch. 

Ordering information

The following applies to all the illustrated forms of lever handle:

HEWI fire safety roses or backplate fittings with 9 mm square spindle are approved for use with certified locks as an emergency exit device to EN 179.

Certified locks

For the named lock manufacturers – unless stated otherwise – all locks of the respective manufacturer certified to EN 179 together with the given HEWI hardware may be used as an emergency exit device to EN 179. Further information on the respective locks is available from the lock manufacturers.



ALLOWABLE HEWI HARDWARE:

SYSTEM 100 STAINLESS STEEL



Lever handle design
103X

Lever handle design
104X

SYSTEM 111 STAINLESS STEEL



Lever handle design
111X

Lever handle design
112X

Lever handle design
113X


SYSTEM 162 STAINLESS STEEL



Lever handle design
165X

Lever handle design
166X

SYSTEM 162 POLYAMIDE



Lever handle design
165.21P

SERIE 170 STAINLESS STEEL



Lever handle design
173X

Lever handle design
174X

SYSTEM 111 POLYAMIDE



Lever handle design
111

Lever handle design
111.23

Lever handle design
115.23

Lever handle design
114.23GK

PUSH/PULL HANDLES



Design
162XADG06

Design
FSDG550.08

Lock partner EN 179

Lock manufacturer	EN 179 FS hardware in HEWI R and H technology for all forms of approved lever handle	EN 179 HEWI push/pull handle set	Certificate number of constancy of performance
Abloy Oy (Assa Abloy)	HEWI marking: VE 30-26 or HEWI DO 20.13		0432-CPD-0018
effeff (Assa Abloy) Fritz Fuss GmbH & Co.KGaA	HEWI marking: VE 30-26 or HEWI DO 20.13		0432-CPD-0001
BKS GmbH	HEWI marking: VE 30-26 or HEWI DO 20.13	HEWI marking: DO 20.13	0432-CPD-00029.03 0432-CPD-00029.04
BMH Beyer & Müller GmbH + Co.	HEWI marking: VE 30-26 or HEWI DO 20.13		0432-CPR-00082-01
Dorma GmbH	HEWI marking: VE 30-26 or HEWI DO 20.13		0432-CPD-0005
Karl Fuhr GmbH & Co. KG	HEWI marking: VE 30-26 or HEWI DO 20.13		1309-CPD-0101 1309-CPD-0140 1309-CPD-0170 1309-CPD-0172
Karl Fuhr GmbH & Co. KG		HEWI marking: DO 20.13	1309-CPD-0140 1309-CPD-0170 1309-CPD-0172
KFV Karl Fliether GmbH	HEWI marking: VE 30-26 or HEWI DO 20.13	HEWI marking: DO 20.13	0432-CPD-0090 0432-CPD-0006
Nemef	HEWI marking: VE 30-26 or HEWI DO 20.13		0432-CPD-0038
SAG Schulte AG	HEWI marking: VE 30-26 or HEWI DO 20.13		0432-CPD-0058
Wilka Schließtechnik GmbH	HEWI marking: VE 30-26 or HEWI DO 20.13		0432-CPD-0021
Grundmann Beschlagtechnik GmbH	HEWI marking: VE 30-26 or HEWI DO 20.13		0432-CPD-0021.01
WSS Wilh. Schlechtendahl & Söhne GmbH & CO.KG	HEWI marking: VE 30-26 or HEWI DO 20.13		1309-CPR-0303 0432-CPR-000037-01
ECO Schulte GmbH & Co. KG	HEWI marking: VE 30-26 or HEWI DO 20.13		0432-CPD-0164
GEZE	HEWI marking: VE 30-26 or HEWI DO 20.13		0757-CPR-229PANIK-701313-5-4
Roto Frank Austria GmbH	HEWI marking: VE 30-26 or HEWI DO 20.13		0432-CPR-00272-01
Glutz AG	HEWI marking: VE 30-26 or HEWI DO 20.13		0757 - CPR - 229P-6014391-1-2

Marking from 02.07.2018
until 29.06.2018

HEWI VE 30-26
HEWI DO 20.13